

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Active Constituent: 240 g/L METALAXYL-M

Controls *Pythium* in turf as specified in the Directions for Use.

GROUP D FUNGICIDE

APVMA Approval No: 58612/1/1104 Pack size: 1 L

GENERAL INSTRUCTIONS

Fungicide Resistance Warning

SUBDUE MAXX is a member of the phenylamide group of fungicides. For fungicide resistance management the product is a Group D fungicide.

Some naturally occurring individual fungi resistant to the product and other Group D fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group D fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Syngenta Crop Protection Pty Limited accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

Mixing

SUBDUE MAXX is a micro emulsion fungicide that mixes readily with water.

Add the required amount of product directly to the spray tank and mix well.

Compatibility

SUBDUE MAXX is compatible with many commonly used fertilisers, insecticides and fungicides. As formulations of other manufacturers' products are beyond the control of Syngenta, all mixtures should be tested for both physical compatibility and crop safety prior to mixing commercial quantities. Physical compatibility can be tested by mixing a small quantity of the mixture in a bucket.

PRECAUTIONS

Re-entry Period

DO NOT allow entry into treated areas until the spray has dried.

PROTECTION OF LIVESTOCK

DO NOT graze treated turf/lawn or feed turf/lawn clippings from any treated area to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with the eyes. When opening the container and preparing the spray wear:

- cotton overalls buttoned to the neck and wrist,
- a washable hat,
- elbow-length PVC gloves and
- face shield or goggles.

When using the prepared spray wear:

- cotton overalls buttoned to the neck and wrist and
- a washable hat.

If product in eyes, wash it out immediately with water.

Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126.

MATERIAL SAFETY DATA SHEET

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy phone 1800 067 108 or visit our website at www.syngenta.com.au

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Syngenta has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Syngenta accepts no liability for any loss or damage arising from incorrect storage, handling or use.

® Registered Trademark of a Syngenta Group Company



DIRECTIONS FOR USE

Restrains: DO NOT apply more than 4 sprays per season.
 DO NOT apply this product as a post-infection curative spray on crops as this will favour the development of resistant disease strains.
 SUBDUE MAXX should always be used within a regular protectant fungicide program.

Situation	Disease Controlled	Rate	Critical Comments
Turf	Pythium (<i>Pythium</i> spp)	17 to 35 mL/100 m ² applied in 4 to 8 L water	Apply in a sufficient volume of water to achieve thorough coverage of all foliage. Apply in a preventative fungicide program containing fungicides from different chemical groups. Begin applications before symptoms occur when conditions first favour disease and continue applications while conditions remain favourable for disease development.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION